## WHAT IS CLAIMED IS:

Sub	Ÿ
July 1	/2
• /	3
	4
	5
	6
	7
<i>(</i> :	8
66	9
	10

1112

1 2

3

4

1

1

1. A system for providing Internet addresses corresponding to an electronic signal to a user, the system comprising:

a receiver for receiving at least one electronic signal, the at least one electronic signal including one or more Internet addresses embedded therein;

a decoder in communication with the receiver, the decoder for extracting the one or more Internet addresses from the at least one electronic signal;

a processor in communication with the decoder, the processor for compiling a historical list of the one or more Internet addresses extracted from the at least one electronic signal, wherein the processor includes memory for storing the historical list; and

a web browser connected to the processor, the web browser for presenting the historical list of the one of more Internet addresses to the user.

- 2. The system of claim 1, wherein the processor is further operable to receive a signal from the user indicating a selected Internet address from the historical list and provide a connection to a web page associated with the selected Internet address.
  - 3. The system of claim 1, wherein the receiver includes a set-top box.
- 1 4. The system of claim 1, wherein the receiver includes a home 2 gateway.
- 5. The system of claim 1, wherein the processor includes a personal computer.
- 6. The system of claim 1, wherein the processor includes a web tablet.

1	7. The system of claim 1, further comprising a first display in
2	communication with the processor.
1	8. The system of claim 7, wherein the processor is in communication
2	with the receiver, and the at least one electronic signal is displayed on the first
3	display.
	·
1	9. The system of claim 1, further comprising a second display in
2	communication with the receiver for displaying the at least one electronic signal to
3	the user.
1	10. The system of claim 9, wherein the second display includes a
2	television set.
	•
1	11. The system of claim 1, wherein the at least one electronic signal
2	includes a plurality of electronic signals.
	\
1	12. The system of claim 11, further comprising a tuner in
2	communication with the receiver for tuning to a selected one of the plurality of
3	electronic signals.
1	13. The system of claim 11, wherein the historical list includes
2	Internet addresses extracted from the plurality of electronic signals.
	i ,
1	14. The system of claim/1, wherein the historical list includes Internet
2	addresses extracted over an amount of time selectable by the user.
	$\cdot$
1	15. The system of claim 1, wherein the historical list includes Internet
2	addresses of a number selectable by the user.
	1 1 0
1	16. The system of claim 11 wherein the historical list includes
2	program source information associated with each Internet address.
	· ·

1	17. The system of claim 1, wherein the at least one electronic signal
2	includes a video signal.
1	18. The system of claim 1, wherein the at least one electronic signal
2	includes an audio signal.
1	19. The system of daim 1, wherein the at least one electronic signal
2	includes a combined video and audio signal.
1	. 20. The system of claim 1, wherein the Internet addresses include
1 -	20. The system of claim 1, wherein the Internet addresses include
2	uniform resource locators (URLs).
1	21. The system of claim 1, wherein the Internet addresses are
2	embedded in a vertical blanking interval of the at least one electronic signal.
1	22. A method for providing Internet addresses corresponding to an
2	electronic signal to a user, the method comprising:
3	receiving at least one electronic signal, wherein the electronic signal
4	includes one or more Internet addresses embedded therein;
5	extracting the one or more Internet addresses from the at least one
6	electronic signal;
7	compiling and storing a historical list of the one or more Internet
8	addresses extracted from the at least one electronic signal; and
9	presenting the historical list of the one or more Internet addresses to
10	the user.
1	23. The method of claim 22, further comprising receiving a signal
2	from the user indicating a selected Internet address from the historical list and
3	providing a connection to a web page associated with the selected Internet address.
1	24. The method of claim 22, further comprising displaying the at least
2	one electronic signal to the user.

	1
1	25. The method of claim 22, wherein receiving the at least one
2	electronic signal includes receiving a plyrality of electronic signals.
,	26. The west of a lain 25. further assumptions to mine to a colorate
1	26. The method of claim 25, further comprising tuning to a selected
2	one of the plurality of electronic signals.
1	27. The method of claim 25, wherein presenting the historical lis
2	includes presenting Internet addresses extracted from the plurality of electronic
- 3	signals.
	,
1	28. The method of claim 22, wherein presenting the historical list to
2	the user includes presenting Internet addresses extracted over an amount of time
3	selectable by the user.
1	29. The method of claim 22, wherein presenting the historical list to
2	the user includes presenting Internet addresses of a number selectable by the user.
1	30. The method of caim 22, wherein presenting the historical list to
2	the user includes presenting program source information associated with each Interne
3	address.
4	
1	31. The method of claim 22, wherein receiving the at least one
2	electronic signal includes receiving a video signal.
1	32. The method of claim 22, wherein receiving the at least one
2	electronic signal includes receiving an audio signal.
1	33. The method of claim 22, wherein receiving the at least one
2	electronic signal includes receiving a combined video and audio signal.

	/
1	34. The method of claim 22, wherein extracting the one or more
2	Internet addresses includes extracting uniform resource locators (URLs).
1	35. The method of claim 22, wherein extracting the one or more
2	Internet addresses includes extracting the Internet addresses from a vertical blanking
3	interval of the at least one electronic signal.